

QSC CP12 12" Compact Powered Loudspeaker





???????????????? ???? 12" Woofer.

Rating: Not Rated Yet

Price

589,00 €

589,00 €

1-3 Μέρες
★★★★

[Ask a question about this product](#)

Manufacturer [QSC](#)

Description

QSC CP12 12" Compact Powered Loudspeaker

Features

- Compact ?????????? ?? ????? ???????
- 1000 W peak power Class-D amplifier module
- ?????? ?????????? ?????????? ?? ?? ?? ??????? ??????????
- Advanced DSP ?? Intrinsic Correction™ ??? ?????????? ?????????? ??? ?? ?????????? ?? ??????
- Directivity Matched Transition™ (DMT) ??? ??????? ?????????? ?????????? ?? ?? ?? ??????? ?????????.
- ?????????? ??????? ?????????? ??? ??????? ??????????
- ?????? design
- ?????????? ??? ?????? ?? main PA, stage monitor ????? ?? ?? ?????????? ?????????? ????????
- 35 mm pole socket
- ?????????? ??????????: yoke, ?????? ?????????? (tote), ??? ?????????? (outdoor cover) – ??? ?????????????????? ??? ?????????????.
- ?????????????? ?? EASE ??? CAD ?????????????? ??? ???????????
- 3- ?????? ?????????? ?? registration

??????? ???????????????:

- ?????: Two-way active
- LF Driver: 12", cone
- HF Driver: 1,4" Compression driver
- Frequency Response (-6 dB): 49 - 20 kHz
- Frequency Response (-10 dB): 47 - 20 kHz
- Nominal Coverage Angle: 75° Axisymmetric
- Maximum Rated SPL¹: 126 dB
- Amplifier: Class D, Peak: 800 W (LF), 200 W (HF)
- Controls: Power, 2 x Gain, Mic Boost Push Switch, 6-way Contour Selection Switch
- Indicators: Power LED, 2 x Input Signal LED, Input B MIC selected LED, Limiter active LED
- Connectors: 2 x locking XLR/F 1/4" combo (Line Input and Mic/Line input), 1 x 3.5 mm TRS (Stereo Input), 1 x XLR/M (Mix Output), 1 x IEC power connector
- Enclosure Material: Polypropylene
- Attachment Points: M10 threaded insert
- Color: Black (RAL 9011)
- Grille: 18 Gauge powder-coated steel
- Dimensions: 516 x 350 x 323 mm
- Net Weight: 13,7kg
- Shipping Weight: 16,5kg
- Regulatory: EMC, UL, CB
- Optional Accessories: CP12 Tote, CP12 Outdoor Cover, CP12 Yoke

Reviews

There are yet no reviews for this product.